

References:

- [1] Landenberger, K. B.; Matzger, A. J. "High Power Explosive with Good Sensitivity: A 2:1 Cocrystal of CL-20:HMXX". *Crystal Growth & Design*, **12** (2012), 3603–09.
- [2] Bachmann, W.E., Sheehan, J.C. "A New Method of Preparing the High Explosive RDX1". *Journal of the American Chemical Society*, **5** (1949)1842–45.
- [3] Akhavan, J. "The Chemistry of Explosives: Edition 2". *The Chemistry of Explosives*. **2** (2004).
- [4] Ghosh, M., Venkatesan, V., Sikder, A. K., Sikder, N. "Preparation and characterization of [epsilon]-CL-20 by solvent evaporation and precipitation methods." *Defense Science Journal*, **62** (2012) 390-98.
- [5] Mandal, A. K., et al. "Process Optimization for Synthesis of CL-20." *Journal of Energetic Materials*, **27** (2009) 231.
- [6] Ugliengo, P. "MOLDRAW: A Program to Display and Manipulate Molecular and Crystal Structures", (2006).
- [7] Ugliengo, P., Viterbo, D., Chiari, Z., "MOLDRAW: Molecular Graphics on a Personal Computer," *Kristallogr.*, **207** (1993) 9-23.
- [8] Gaussian 16, Revision B.01, Frisch, M. J., et al. Gaussian, Inc., Wallingford CT, 2016.
- [9] Roothaan, C. C. J. "New Developments in Molecular Orbital Theory," *Rev. Mod. Phys.*, **23** (1951) 69.
- [10] Becke, A. D. "Density-functional thermochemistry. III. The role of exact exchange," *J. Chem. Phys.*, **98** (1993) 5648-52.